	Application No.	Applicant(s)
Notice of Allowability	00/079 124	GLINER ET AL.
	09/978,134 Examiner	Art Unit
	Coorne Manual	0700
	George Manuel	3762
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the Information Disclosure Statement, filed 5/15/06.		
2. ☑ The allowed claim(s) is/are <u>16-31,51-53,55 and 56</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) \square including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Notice of Informal Pr	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	,, , , ,
<u> </u>	Paper No./Mail Date	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 8/14/06, 6/12/06 	8), 7. Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	

Art Unit: 3762

DETAILED ACTION

Allowable Subject Matter

Claims 16-31, 53, 55 and 56 are allowed.

The following is an examiner's statement of reasons for allowance:

DiLorenzo (US 2005/0021104) discloses a neuromodulator array
that comprises a stimulating electrode and sensor array that may sense a
characteristic indicative of a neurological or psychiatric condition. However,
there lacks a teaching or suggestion to use the teachings provided in DiLorenzo
to provide an electrical stimulus at a sub-threshold level.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Manuel whose telephone number is (571) 272-4952.

George Manuel Primary Examiner Art Unit: 3762